

# THE BULLETIN

## of the UNITED STATES GOLF ASSOCIATION GREEN SECTION

PUBLISHED BY THE GREEN COMMITTEE OF THE U. S. GOLF ASSOCIATION  
AT ROOM 7207, BLDG. F, 7TH AND B STS. N. W., WASHINGTON, D. C.

Entered as second-class matter April 21, 1926, at the post office at Washington, D. C., under Act of March 3, 1879.

EDITORIAL OFFICES: P. O. BOX 313, PENNSYLVANIA AVENUE STATION, WASHINGTON, D. C.

---

WASHINGTON, D. C., JANUARY 1927 (SUPPLEMENT)

---

### Index to Volume VI (1926)

- Acid lead arsenate as a grub poison, 36  
Acidity of soil:  
    affected by use of water of high lime content, 206  
    production of before planting, 207  
    testing for degree of, 79  
Acid phosphate, 239  
Algonquin, Golf Club, brown-patch at, 261  
Alluvial soil, value and use of, 166  
American golf courses, most prevalent defect in, 259  
Ammonium chlorid, 58, 75  
Ammonium nitrate, 237  
Ammo-Phos (see *Ammonium phosphate*).  
Ammonium phosphate, grades, results from using, rate of application, 238  
Ammonium sulfate:  
    affected by use of water of high lime content, 206  
    applied during growing season, 227  
    applying in hot weather, 182  
    composition of, and use of, for topdressing turf, 237  
    compost ingredient, 48, 70, 99, 166, 178, 181, 246  
    experiments with, at Purdue University, 163  
    fairway fertilizer, rate of application, 16  
    manure decomposed with, 74  
    mixing in compost before using, 99  
    mixing in soil before planting, 207  
    on Bermuda greens, 65, 73, 81  
    rate of application, mixed with compost, for putting greens, 49  
    source and general description, 237  
Animal charcoal, 146  
Annual bluegrass (*Poa annua*), controlling, 17, 123  
Annual meeting:  
    of Green Section, 40  
    of U. S. G. A. and Green Section, 251  
Annual report of Green Section chairman for 1925, 31  
Ants, controlling, 185  
Architecture:  
    artistic bunkers, 2  
    at C. C. of Atlantic City, 214  
    Links, The (book on), 260  
    of tees, 7  
    plan of hole, 232  
    slope of greens, 39  
    use of sand, 10  
Arsenate of lead as a grub poison, 35  
Atlantic City County Club, reconstruction of, 214  
Baking soil to control brown-patch, 160  
    kill weed seeds, 5  
Baltusrol Golf Club, brown-patch experience, 263  
Basic slag, 239  
Beach grass, 147  
Beetle (see *Japanese beetle*; *June beetle*).  
Bent Grass (see also *Putting greens and Vegetative planting*).  
    Colonial, 111, 143  
    creeping:  
        compared with velvet bent, 166  
        discing into established turf, 170  
        fluffy condition, 145  
        in Virginia and North Carolina, 190  
        Metropolitan and Washington strains, 145  
        proliferations in, 267  
        texture of old turf, 75  
    effect of lime on, 2  
    fairways, poorly drained, 167  
    fescue in, 165  
    for sandy soil, 207  
    general description of the bent grasses, 111  
    German mixed, 50, 111  
    range of adaptation of the bent grasses, 243  
    Rhode Island, 111, 143  
    seaside, for salty soil, 51, 147  
    velvet, 111, 166  
Bermuda grass (see also *Putting greens*)  
    fairways, thickening, 118  
    fertilizing, 64, 73, 80  
    liming, 64, 80  
    range of adaptation, 243  
    seeding rate for fairways, 17, 73  
    seeding rate for putting greens, 65, 73  
Bichlorid of mercury (see *corrosive sublimate*)  
Bird-grass (see *Poa trivialis*)  
Birds of the golf course:  
    Flicker, 200  
    Killdeer, 116

- Kingbird, 258  
Robin, 162
- Blue grass:  
Annual (*Poa annua*), 17, 123  
Canada: for rough, 165, 267  
    general description, 109  
    seeding with sheep's fescue, 110  
Kentucky: as putting green turf, 18, 99  
    general description, 108  
    range of adaptation, 243  
    seeding rates, 16, 50, 109, 167  
rough-stalked (*Poa trivialis*): as shade  
    grass, 266  
    general description, 110  
    in greens, 187
- Blue lyme-grass, 267
- Bone meal:  
    experiments with, at Purdue University, 163  
    on fairways, 48, 165, 239  
    putting greens, 19  
    rate of application, 49, 163, 165, 239
- Bodeaux mixture, 142, 225
- Brown-patch:  
    controlling with calomel, 221, 265  
    controlling with corrosive sublimate, 151, 221,  
    263, 265  
    experiments during 1926 in control of, at  
    Arlington Turf Garden, 221, 261  
    mushroom soil in relationship to, 119  
    nature and control of, 127-142  
    sterilized compost for control of, 166  
    treating diseased area only, 264  
    winter, in South, 34
- Buffalo grass, propagation of, 206
- Bunkers:  
    artistic, 2, 10  
    care of, 234  
    weed extermination in, 246
- Burned lime (see lime)
- Buxton, Mr. Cameron B., 230
- Calcium:  
    an essential element, 234  
    arsenate in mole-cricket control, 197  
    carbonate (see lime)  
    cyanide in mole-cricket control, 197  
    hydroxid (see lime)  
    nitrate, 238  
    oxid (see lime)  
    sulfate, 242
- Calomel for control of brown-patch, 221, 222  
    advantages and rate of application, 223, 224,  
    265
- Canada bluegrass: (see Bluegrass)
- Canal Zone, golf courses, 83
- Carbon, an essential element, 234
- Carbon disulfid:  
    ant control, 185  
    grub-proofing turf, 35  
    killing crawfish, 115  
    mole-cricket control, 197
- Carolina clover for southern fairways, 171
- Carpet grass, range of adaptation, 243
- Castor-bean pomace, composition of, 236
- Cattle manure, 51
- Changa, control of, 197
- Charcoal:  
    animal, as a fertilizer, 146  
    as a topdressing, 4
- Charlotte Country Club, greens at, 231
- Chemicals (see also names of)  
    in weed control, 98, 165
- Chewings fescue, 112
- Chickweed, controlling, 98
- Chinch bug, controlling, 94
- Clay soil:  
    cinders and sand in lightening, 245  
    moisture-holding capacity of, 196  
    topdressing sandy soil with, 49, 207, 245
- Clover:  
    Carolina and Low Hop, for Southern fair-  
    ways, 171  
    stimulated by lime, 242  
    white, for greens, 18, 99, 206
- Colonial bent, 111, 143
- Colonial Country Club, greens at, 80
- Commercial fertilizers, 234
- Compost:  
    compared with mushroom soil, 147  
    cotton motes in, 231  
    handling and storing, 4, 47, 185, 186  
    prepared in open, 185, 186  
    rate of in topdressing greens, 49  
    sterilized:  
        by baking, 5  
        by steaming, 202  
        in brown-patch control, 166  
    texture of, 67  
    value, making, and use of, 49, 67, 165, 174  
    weed seeds, destroyed in, 5, 202  
    with ammonium sulfate, 48, 70, 99, 166, 178,  
    181, 246  
    with fungicides, 224, 225
- Construction:  
    at Country Club of Atlantic City, 214  
    danger from using muck in, 97  
    of ditches to prevent overwash, 182  
    of greens, 50  
    with sand and cinders on clay, 245
- Copper:  
    accumulation in soil, 225  
    in brown-patch control, 142
- Corona, 221
- Corrosive sublimate:  
    effect of, on soil, by continued use, 146  
    in brown-patch control, 151, 221, 222  
    keeping qualities of, in solution, 75  
    killing earthworms with, 35, 58  
    rate of application in brown-patch control,  
    154, 221, 265  
    season's experience with, 261
- Cotton motes in compost, 231
- Cottonseed meal:  
    composition of, and rate of application, 165,  
    236, 247
- Country Club of Atlantic City, 214
- Cow manure, composition and use of, 195
- Crab-grass:  
    checked by poisoned soil, 192

- controlling, 8, 160
- seeds of, in manure, 88
- silver, controlling, 4
- stimulated by lime, 242
- Crawfish, 115
- Creeping bent (see Bent grass)
- Cutting:
  - greens closely, 145
  - instructions to force, 233
- Cyanamid, 238
  
- Dallis grass, control, 123
- Danville Golf Club, thickening fairways at, 118
- Discing:
  - Bermuda fairways, 118
  - creeping bent into greens, 170
- Diseases (see brown-patch)
- Dissolved bone (see Superphosphates)
- District Green Sections:
  - growth of, 70
  - Piedmont, 170
  - relation of U. S. Golf Assn. Green Section to, 78, 115
  - St. Louis, 252
  - Twin City, 89
- Dried blood, 235
  
- Earthworms:
  - benefits of, to soil, 170
  - controlling by poisoning the turf, 34
  - with corrosive sublimate, 35, 58, 146
  - mowrah meal, 19
  - encouraged by rich soil, 16
- Elements essential to plant food, 234
- Europe, golf in, 210
  
- Fairways:
  - bare spots in, 8
  - coastal, treatment, 186
  - fertilizing, 16, 48, 165
  - grasses for (middle latitudes), 17, 187
  - (northern latitudes), 16, 49, 108, 207, 243
  - (southern latitudes), 73, 118, 171, 184, 244
  - improving (northern), 16
  - introducing new grasses into, 230
  - liming bluegrass, 73
  - low spots in, 44
  - range of adaptation for northern grasses, 243
  - range of adaptation for southern grasses, 244
  - rolling, 59
  - sandy, 49, 164, 207, 245
  - thickening Bermuda, 118
  - topdressing, 46, 207
  - wet places in (northern), grasses for, 167
- Farm manures, 193
- Fertilizers: (see various names: also Compost, Humus, Mushroom soil)
  - animal nitrogenous, 235
  - applied during growing season, 227
  - commercial, 234
  - experiments at Purdue University, 163
  - miscellaneous, 236
  - mixed, 184, 240
  - phosphatic, 239
  - vegetable nitrogenous, 236
- Fescue:
  - Chewings (*Red fescue*, which see)
  - crowded out by bent grass, 165
  - kinds and uses of, 112
  - meadow, as a grass for the rough, 167
  - range of adaptation, 243
  - red (see Red fescue)
  - reseeding greens, 74
  - sheep's:
    - compared with meadow, 167
    - for rough, 165
    - seeding rate, 113, 267
    - undesirability of, on greens, 47, 113, 187
- Fish fertilizers, 235
- Floats, 239
- Floramid (see Urea)
- Foreign golf associations, 122
- Fownes, William C., Jr., President of U. S. G. A., 30
- Foxtail, yellow, 106
- Fungicides (see various names)
- Fungous disease (see brown-patch)
- Furnace dust as a fertilizer, 187
- Furze, 14
  
- German mixed bent (see also Bent grass):
  - character and uses of, 111
  - seeding rate, 50
- Golf in Europe, 210
- Golf courses:
  - In America, most prevalent defect, 259
  - in South America and Canal Zone, 83
- Goose grass, controlling, 4
- Gorse, 14
- Government recognizes scientific and educational character of Green Section, 150
- Grama grass, propagating, 206
- Grasses: (see also various names)
  - for gravelly or rocky soil, 267
  - for Piedmont section, 184
  - for sandy fairways, 207
  - for semi-arid region, 206
  - important northern, 108
  - range of adaptation of, 243
  - salt resistant and sand binding, 51, 147
  - winter, on Bermuda greens, 64, 231
- Green Committee Chairman, choosing, 254
- Green fees, Federal tax on, 66
- Greenkeepers Assn. of Philadelphia, 59
- Greenkeeping:
  - change in routine, 95, 259
  - contributions to, 155
  - instructions to force, 233
- Greens (see Putting greens)
- Green Section:
  - consolidation of, with United States Golf Association, 250
  - contributions to, tax on, 66, 150
  - District, growth of, 70
  - list of member clubs, 21
  - meeting, annual, January, 1926, 40
  - meeting, annual, January, 1927, 251

- relation of U. S. Green Section to District green sections, 78, 115  
 St. Louis District, 252  
 scientific and educational character of recognized by the Government, 150  
 Twin City, report on, 89
- Grubs:  
 June beetle, controlling, 15  
 poisoning soil in control of, 34, 191  
 rich soil in encouraging, 16
- Guano, use of, as fertilizer, 147, 236  
 Gypsum (see calcium sulfate)
- "Harping on one string," 117  
 Harrow, chain, value and use of, 74  
 "Herbae Prati," 105  
 Hermitage Country Club, creeping bent at, 190  
 Hog manure, composition and use of, 196  
 Horse manure:  
 composition and use of, 195  
 shavings in, 227
- Humus:  
 definition, 92  
 humus-producing materials and the making and use of compost, 174  
 moisture-holding capacity of, 196  
 peat or muck, 92, 176  
 sod, leaves, and mold, 177
- Hydrated lime (see lime)  
 Hydraulics, golf course, for laymen, 126  
 Hydrogen, an essential element, 234
- Insecticides, 34, 94, 197  
 Insects, (see also various names), leaf-eating, controlling, 94  
 Iron sulfate in weed control, 98, 185  
 Italian rye-grass:  
 unsuitable for the rough, 227  
 uses of, and seeding rate, 114  
 winter greens seeded to, 64, 226, 231
- Japanese beetle, controlling by poisoning the soil, 34  
 Jekyll Island Golf Club, experiments in mole-cricket control, 197  
 June beetle:  
 controlling by poisoning the turf, 34  
 controlling with caddies, 15
- Kentucky bluegrass: (see Bluegrass)  
 Kirtland Country Club, bent greens at, 45  
 Kittansett Club, soil baking at, 5
- La Fayette Country Club, brown-patch experience, 261  
 Land plaster (see calcium sulfate)  
 Lead arsenate as a grub poison, 35  
 Leaf mold, value and use of, 177
- Lime:  
 as a fertilizer, 163, 241  
 compounds of: benefits and injuries, 241, 242  
 encouraging moss, 207  
 in city water, 164, 206  
 on bent grass, 2  
 on Bermuda grass, 65  
 on Bluegrass fairways, 73, 109  
 Linseed meal, 236
- Machinery:  
 care of, 233  
 heavy, effect of on soil, 18  
 weight of rollers, 59
- Magnesium, an essential element, 234  
 Maintenance:  
 multiple tees, 7  
 staff, working instructions for, 233
- Manure:  
 artificially made, 178  
 barnyard, 175, 178  
 cow, composition and use of, 195  
 decomposing with ammonium sulfate, 74, 178  
 farm, composition and use of, 193  
 hog, composition and use of, 196  
 horse, composition and use of, 195  
 new, danger of, in introducing crab grass seeds, 88  
 poultry, 48, 163, 196  
 pulverized, 200  
 shavings in, 227  
 sheep, 48, 164, 178, 196  
 shredded, 51  
 stable, 48, 50, 51  
 straw in, 246  
 use of in layer discouraged in green construction, 50
- Maps showing range of adaptation of most important turf grasses, 243, 244  
 Marram grass, 147  
 Meadow fescue, compared with sheep's fescue, 167  
 Mercuric compounds, 221  
 Metropolitan strain of creeping bent, characteristics, 145  
 Miami Valley Golf Club, steam-box at, 202  
 Moisture-holding capacity of sand, clay, and humus, 196  
 Mole-cricket, Porto Rican, control of, 197  
 Mosquito menace, 120  
 Moss:  
 encouraged by lime, 207  
 eradicating, 187, 207  
 peat, for putting greens, 246
- Mowing:  
 greens, closely, 145  
 instructions to force, 233  
 Mowrah meal, rate of application, 19  
 Muck, value and use of, 17, 92, 97, 163, 176  
 Muriate of potash, 240  
 Mushroom soil:  
 compared with compost, 147  
 nature of, 196  
 relationship of, to brown-patch, 119  
 use of, 49, 68, 196
- Native trees, shrubs, and flowers, for golf courses, 60

- New Orleans Country Club, winter greens at, 64
- Nicotine in insect control, 94
- Nitrate of soda, value and application of, 163, 237
- Nitrogen, an essential element, 234
- Northern turf grasses, 108
- Nursery: (see also Vegetative planting)  
of more than one strain, 227  
old, use of, 19, 207
- Oakley, Dr. R. A., in Europe, 118
- Paradichlorbenzine, in ant control, 185
- Peat and humus, 92, 97, 176
- Peat moss, 92, 246
- Perennial rye-grass, 114
- Phosphorous, an essential element, 234, 238
- Piedmont Green-Committeemen's Association, 170  
Section of South, seeding golf courses in, 183
- Pine Valley Golf Club, treatment of sandy soil, 207
- Pipe, capacity of, 126
- Piper, Dr. Charles Vancouver, 54
- Plantain, control with chemicals, 185
- Plant food, essential elements, 234
- Poa annua*:  
controlling, 17, 123
- Poa trivialis*:  
limitations of, 187  
uses of and seeding rate, 110, 266
- Poisons (see also various names):  
in grub control, 34, 191  
in mole cricket control, 197
- Porto Rican mole-cricket, control of, 197
- Potassium:  
an essential element, 234, 240  
carbonate, 240  
nitrate, 240  
sulfate, 240
- Poultry manure, 48, 163, 196
- Proliferations in turf, 267
- Purdue University, fertilizer experiments at, 163
- Putting greens:  
comparative value of materials in topdressing, 67  
desirable slope of, 39  
Northern:  
building on clay, 75  
converting to creeping bent, 170  
fescue, reseeding, 74  
fluffy, 145  
rolling, 59; and topdressing, 146  
sodding, 33, 74  
Southern:  
at Charlotte C. C., 231  
at Colonial C. C., 80  
at New Orleans C. C., 64  
building, 50  
creeping bent in Va. and N. C., 190  
rate of seeding, 73  
winter grasses on, 64, 226, 231
- Putting surface (as distinct from turf surface),  
keeping true, 33, 59, 146
- Quick lime (see lime)
- Raw rock phosphate, 239
- Red fescue:  
as a sand-binding and salt-resisting grass, 147  
crowded out by bent grass, 165  
reseeding, 74  
uses of, 47, 112, 147
- Redtop:  
for winter greens in the South, 226  
putting turf from, 18, 99  
range of adaptation, 243  
seeding, 16, 110, 167  
uses of, 110, 167
- Rhode Island bent (see Bent grass)
- Riverton Country Club, experiments at, in grub-proofing turf, 34, 191
- Rollers, weight of, 18, 59
- Rolling, 59, 146
- Rough:  
grasses for (northern), 109, 113, 165, 167, 227, 267  
improving where play from is too easy, 267  
low spots in, 44  
reducing vegetation in, 165
- Rough-stalked bluegrass, uses of and seeding rate, 110
- Rough-stalked meadow grass, uses of and seeding rate, 110
- Routine work, 95, 233
- Rules of golf, decisions on:  
Ball:  
against pin in hole, 220  
dropping from water hazard, 46  
in water hazard, 46  
lie of, in bunker, 205  
lifting, from wheel track, 93  
lost, 205  
lost, in ground under repair, 220  
out of bounds, 107  
outside match, playing, 161, 220  
playing provisional, 182  
removing mud from, 182  
striking flag stick, 182  
struck accidentally, 93  
unplayable, 13, 46  
bending fixed and growing object, 14  
flag stick, removal of, 205  
hole rim, resetting, 161  
honor:  
on bye hole, 63  
won by low net score, 46  
loose impediment, lifting, 63  
odds in four-ball match, 107  
parallel water hazard, 205  
postponed match, 107  
qualification with marker, 107  
stance, restriction in taking, 93  
tie in handicap match play, 205  
touching line of putt, 63

- St. Louis District:  
 brown-patch, experience in, 261  
 Green Section, 252
- Salt:  
 in beach sand, 167  
 resistant grasses, 147, 186
- Salt grass, 186
- Salty conditions, grasses for, 51, 147, 186
- Sand:  
 bunkers, artistic, 2  
 grasses for (northern), 49, 147  
 moisture-holding capacity of, 196  
 natural use of in architecture, 10  
 topdressing with, 68, 167, 231, 245  
 wastes, 214
- Sandy soil:  
 grasses for (northern), 49, 147, 207  
 subsoil, fertilizers for and treatment of, 164  
 treatment of, 49, 207, 245
- Scioto Country Club, 102
- Scum on soil, 187
- Seaside bent:  
 as a sand-binding, salt-resisting grass, 51, 147  
 seed of, 111  
 value of, 111, 147
- Seeding:  
 best time for, 51  
 early summer, inadvisability of, 51  
 golf courses in Piedmont section of South, 183  
 late fall and winter, 226, 247  
 of sandy soil for putting green and fairway turf, 49  
 rate of, for Bermuda greens, 73
- Seepage, protecting greens from, 96
- Semesan:  
 compared with other fungicides, 221, 261  
 rate of application, 153
- Service Bureaus, growth of, 70
- Sewage disposal as a fertilizer, 18  
 system for golf course, bulletin on, 8
- Shade grass, 266
- Shavings in manure, 227
- Sheep manure, 48, 163, 178, 196
- Sheep's fescue:  
 compared with meadow fescue, 167  
 for rough, 165  
 seeding rate, 113, 267
- Shrubs, native, for golf courses, 60
- Silicon, sometimes a necessary element, 234
- Silver crab-grass, controlling, 4
- Simple and inexpensive outfits for testing soil acidity, 79
- Stunks, controlling, 11
- Sod:  
 as compost ingredient, 177  
 removing and replacing, 33
- Sodium, sometimes a necessary element, 234
- Sodium silicofluoride as a grub poison, 36
- Soil:  
 acidifying before planting, 207  
 acidity, testing of, by simple and inexpensive outfits, 79  
 alluvial, value and use of, 166  
 baking to kill weed seeds in, 5; to control brown-patch, 166  
 clay, in building putting green, 75  
 not benefited by earthworms, 170  
 for topdressing, 260  
 foundation for putting green, 50, 183  
 grub-proofing, 34, 191  
 moisture-holding capacity of various soils, 196  
 poisoning in grub control, 34, 191  
 preparation of, 183  
 rich, encouraging to earthworms and grubs, 16  
 salty, grasses for (northern), 51, 186  
 sandy, grasses for (northern), 49, 207, 245  
 treatment of, 49, 207  
 steaming to kill weed seeds in, 202
- Soot as a fertilizer, 187
- South American golf courses, 83
- Soybean meal, composition of, 236
- Speedwell, thyme-leafed, controlling, 82
- Spring planting, disadvantage of, 147
- Stable manure, 48, 50, 51
- Standard practice, variation from, 259
- Steam-box for sterilizing soil, 202
- Stink-grass, as a putting green weed, 181
- Stolons of old growth, use of, 93, 207 (see also vegetative planting)
- Strains of creeping bent:  
 Metropolitan, should not produce fluffy turf, 145  
 Washington, should not produce fluffy turf, 145
- Straw, in manure, and composting with soil, 178, 246
- Stumps  
 mounds made from, 163  
 removing, 75
- Sulfate of ammonia (see Ammonium sulfate)
- Sulfate of potash, 240
- Sulfur, an essential element, 234
- Sulfuric acid in weed control, 185
- Summer:  
 early seeding, inadvisability of, 51  
 planting, disadvantage of, 147
- Superphosphates:  
 acid phosphate, 239  
 dissolved bone, 239
- Swamp muck, its value and use, 97
- Swamp soil, value and use of, 17, 97, 176
- Swampy land, grasses for (northern), 167
- Sweepings, street, 178
- Tankage, 235
- Tax, Federal, on green fees, 66  
 Green Section contributions, 150
- Tees, architecture and maintenance of, 7
- Thyme-leafed speedwell, controlling, 82
- Tile, laying in filled land, 72
- Topdressing:  
 beach sand used as, 167  
 continued effect of, 145  
 fairways, 46

- materials used for, 67, 166, 174  
 methods of, 67  
 rate of application, 181  
 sand used as, 245  
 soil for, 260  
 variation from usual rate, 259  
 with charcoal, 4  
 Tractor mower operators, 234  
 Tractors, heavy, effect of on soil, 18  
 Traps (see Bunkers)  
 Trees:  
   coniferous, 204  
   native, 60  
 Turf:  
   experiments at Purdue University, 163  
   fertilizing of, through October, 227  
   good putting, not made by use of fescue, 47  
   grub-proofing, 34  
   injury to, from chinch bug and other insects, 94  
   low spots in, lifting, 44  
   plots, experimental, near Washington, 58  
   thin, improving, 51, 96  
   winter-killed, improving, 48  
 Twin City Green Section, 89  
  
 United States Golf Association, 250  
 Unslaked lime (see lime)  
 Urea, 238  
 Uspulun:  
   compared with other fungicides, 221, 261  
   rate of application, 153  
  
 Vanderpool, Wynant D., ex-President of U. S. G. A., 30  
 Vegetative planting:  
   clippings used in place of stolons, 45  
   disadvantage of spring and summer, 147  
   in winter, 247  
   nursery, 19, 227, 246  
   stolons:  
     not produced by R. I. bent, 74  
     of old growth, use of, 93, 207  
 Velvet bent:  
   compared with creeping bent, 166  
   uses of, 111  
 Velvet grass, controlling, 8  
 Village planning, 242  
  
 Washington strain of creeping bent, characteristics, 145  
 Water supply, bulletin on, 2  
   systems, 126, 187  
 Weed killer, chemical, 98, 185  
 Weeds:  
   chickweed, 98  
   crab-grass, 4, 8, 88, 160  
   Dallis grass, 123  
   extermination of, in traps and bunkers, 246  
   foxtail, 106  
   goose-grass, 4  
   mesquite, 8  
   plantain, 185  
   *Poa annua*, 17, 123  
   silver crab-grass, 4  
   stimulated by lime, 242  
   stink-grass, 181  
   thyme-leaved speedwell, 82  
   velvet grass, 8  
   wire grass, 4  
   yard-grass, 4  
   yarrow, 44  
   yellow foxtail, 106  
 Weed seeds:  
   avoidance of, in washing onto greens, 182  
   baking soil to kill, 5  
   creek water containing, 19  
   manure containing, 88  
   steaming soil to kill, 202  
 Westover, Mr. H. L., appointment of, 233  
 Whin, 14  
 White clover:  
   as a fairway turf for sandy soil, 207  
   as a putting turf, 18, 99, 206  
   range of adaptation, 243  
 Whitinsville Golf Club, brown-patch experience, 263  
 Whitney, Mr. Howard F., 260  
 Winter brown-patch in the South, 34  
   greens in the South, 64, 226  
   killed turf, improving, 48  
   planting of bent stolons, 247  
   sowing grass seed in, 226  
 Wire grass, controlling, 4  
 Wood ashes, 240  
  
 Yard grass, controlling, 4  
 Yarrow, uses for, and control of, 44  
 Yellow foxtail, 106

- Behr, Max H.  
 Birchett, Frederick W., Jr.  
 Boggs, Arthur
- Boude, D. M.  
 Burgess, J. L.  
 Clapper, J. S.
- Cunningham, G. T.  
 Fitts, O. B.
- Holland, C. G.  
 Hood, Frederic C.  
 Humphrey, H. S.  
 Knuth, C. H. L.  
 La Malta, T. L.  
 Le Prince, J. A.  
 Leach, B. R., and  
 Lipp, J. W.  
 McAtee, W. L.
- Metcalf, Maynard M.
- Monteith, John, Jr.
- Oakley, R. A.
- Oakley, R. A., and H. L.  
 Westover
- Pfeffer, W. L.  
 Pieters, A. J.
- Read, H. Kendall
- Ricker, P. L.
- Sargent, George  
 Sherman, Sherrill  
 Thomas, W. A.
- Thomas, W. G.  
 Todd, J. N.  
 Tregillus, C. A.  
 Westover, H. L.
- The Natural Use of Sand, 10  
 Calendar Chart of Winter Grasses on Bermuda Greens, 64  
 How We Managed Our Creeping Bent Greens at Kirtland Country Club, 45  
 A Steam Box for Killing Weed Seeds in Compost, 202  
 Seeding Golf Courses in the Piedmont Section of the South, 183  
 A Condensed Report on the Twin City Green Section Since It Was Organized and How It Has Functioned to Date, 89  
 Routine Work, 95  
 Comparative Values of Materials and Methods Commonly Used in Topdressing Putting Greens, 67  
 Thickening Bermuda Fairways, 118  
 Killing Weed Seeds in Loam by Baking, 5  
 Removing and Replacing Sod, 33  
 Working Instructions for the Maintenance Staff, 233  
 Care of Bermuda Greens, 80  
 The Mosquito Menace, 120  
 A Method of Grub-Proofing Turf, 34  
 The Experiment in Grub-Proofing Turf at Riverton, N. J., 191  
 Birds of the Golf Course:  
   The Killdeer, 116  
   The Robin, 162  
   The Flicker, 200  
   The Kingbird, 258  
 Golf Courses in South America and the Canal Zone, 83  
 The Most Prevalent Defect in American Golf Courses, 259  
 The Relation of Mushroom Soil to Brown-Patch, 119  
 The Brown-Patch Disease of Turf: Its Nature and Control, 127  
 Corrosive Sublimate as a Control for Brown-Patch, 151  
 1926 Experiments on Brown-Patch Control, 221  
 Observations on Brown-Patch Control in 1926, 261  
 Annual Meeting of the Green Section, Chicago, January 8-9, 40  
 Important Northern Golf Grasses, 108  
 Contributions to Greenkeeping by the Trained Investigator, 155  
 Some Observations on Golf, Golf Courses and Golf Turf Abroad (France, Italy, Switzerland, Germany, Holland), 210  
 Humus-Producing Materials and the Making and Use of Compost, 174  
 The St. Louis District Green Section, 252  
 Carolina Clover and the Low Hop Clovers as Southern Fairway Plants, 171  
 The Growth of the Service Bureaus, 70  
 The Reconstruction of an Old Course, 214  
 Native Trees, Shrubs, and Flowers for Golf Courses. Part II, Spring Planting, 60  
 Scioto Country Club, 102  
 Choosing a Green Committee Chairman, 254  
 The Control of the Porto Rican Mole-Cricket, or Changa, on Golf Courses, 197  
 All-The-Year-Around Greens, 231  
 Golf Course Hydraulics for Laymen, 126  
 Rhode Island Bent as a Putting Green Turf, 143  
 Simple and Inexpensive Outfits for Testing Soil Acidity, 79  
 Farm Manures, 193  
 Commercial Fertilizers, 234